

**Biomass as a major RE carrier  
versus  
Biomass within the concept of changing  
energy markets**

***J. Knápek***

***[knapek@fel.cvut.cz](mailto:knapek@fel.cvut.cz)***

*Czech Technical University in Prague, Faculty of Electrical  
Engineering*

# Content

0. Before we start - Recent news
1. General context – role of biomass/statistics
2. Biomass sources
3. 1st, 2nd and 3rd generation biofuels
4. New trends in biomass – selected examples
5. Agroforestry and agrivoltacs – example of the new trend
6. Economic competition between conventional and energy crop – opportunity cost point of view

# Before we start – recent news

## Risks and uncertainties

- Uncertainty in energy markets, prices and availability of energy commodities
- High volatility / uncertainty of energy markets Rapid increase in (all) energy prices even before 24.2.2022

Long term contracts– natural gas [www.pxe.cz](http://www.pxe.cz), one year, Cal 23 (2/9/2020: 14,5 EUR/MWh, 2.2.2023 52,5 EUR/MWh)


Long term contracts– [www.pxe.cz](http://www.pxe.cz), one year baseload, Cal 23 (24/3/2022: 174 EUR/MWh,el, 26/8/2022: 984 EUR/MWh, 2.2.2023 135 EUR/MWh, 31.1.2024: 81 EUR/MWh)




# Before we start – recent news

## Risks and uncertainties


- There is an interplay of several factors:
  - Post-covid jump-starting of economies
  - Implementation of the Green Deal (see Fit for 55), pursuit of rapid decarbonisation, soaring prices of emission allowances, asymmetric impacts on different economies
  - Energy prices are reflected in all areas of the NH - e.g. in agriculture (crop production) directly (prices of liquid fuels) and indirectly (prices of artificial fertilizers and overall higher prices of inputs) and in food production (directly energy prices, indirectly increased market demand for commodities - e.g.




# Before we start – electricity prices



Source: Kurzy.cz, one year contracts, baseload




Easter 2023: weather forecast error




## Day ahead market – December 2023

<https://www.ote-cr.cz/cs/kratkodobe-trhy/elektrina/spot-market-index?currency=EUR&date=2023-12-01>  
 BASE LOAD (0:00 - 24:00), PEAK LOAD (8:00 - 20:00)  
 OFFPEAK LOAD (0:00 - 8:00, 20:00 - 24:00)



March 2022



# Development of electricity consumption and production



Compared to the long term average 2017-2021, electricity consumption decreased by 9.8 % and weather-adjusted savings are 9.1 %. This is a further 1.2% more than in the previous quarter. Year-on-year, grid electricity consumption was 6.7% lower and savings were 5.8%.

Na prohlubování poklesu spotřeby elektřiny dodané ze sítě má pozitivní vliv velký rozvoj fotovoltaických systémů, a to zejména těch střešních. V období od 1.7. do 30.9 se podle údajů ČEPS postupně připojilo okolo 300 MW nových solárních zdrojů. „V létě mají vliv na zvýšené náklady na energie hlavně klimatizace. I přesto, že letošní Q3 byl meziročně o 1,7°C teplejší, tak na zvýšené spotřebě elektřiny ze sítě se to neprojevilo. V létě je výroba FVE vysoká a malí výrobci generují často větší přetoky do sítě, které nejsou ale finančně nyní příliš zajímavé. Proto mnoho z nich osazuje domácnosti klimatizacemi, jejichž spotřebu pokryjí prakticky bez nákladů elektřinou vyrobenou střešními panely. U větších podniků pomáhají nainstalované střešní fotovoltaické panely výrazněji snižovat náklady na chlazení

# Development of electricity consumption and production



## Power generation structure in EU, 2023

The European Union and the Czech Republic have seen another significant decline in electricity production and consumption in 2023. This is mainly linked to the lower economic performance of industrial companies in particular. Already in 2022, electricity production in the EU fell by almost 100 TWh year-on-year, and this year there has been a drop of another 66 TWh. Nuclear and coal accounted for almost 80% of electricity production in the Czech Republic last year (56 TWh)..

Photovoltaics increased by 18% year-on-year and accounted for 8% of the EU's total electricity generation (196 TWh), while the EU's targets assume solar generation of 600 TWh in 2030. All renewables, including biomass and water, accounted for 45% of total generation in the EU in 2023, supplying a total of 1 100 TWh of electricity.

# Factors influencing the price of electricity in the future

## Power – energy (commodity)

- Speed of decarbonisation (decommissioning of coal-fired power plants, in the Czech Republic the year 2033 is still being considered)
- Prices of emission allowances
- Speed of electrification of consumption (electromobility, heat pumps, technologies such as power plants, etc.)
- Speed of RES development in individual categories and prices of technologies
  
- What to expect:
- High volatility of spot electricity prices
- High frequency of zero or negative power price cases
- Efforts to motivate consumers to react quickly - demand response
- A number of countries will become importers of electricity (but from where)
- Times of electricity surpluses and shortages will be similar across countries

## Uncertainties

- Development of nuclear power, including small modular reactors
- Some countries are reconsidering NPP decommissioning (e.g. Belgium - originally 2025, now at least 2035)
- Ability to build transmission capacity fast enough
- Availability of strategic raw materials for the production of components for RES use
- Ensuring resource adequacy and grid stability

**It is very unlikely that electricity prices can be expected to fall to pre-8/2021 prices**





# Factors influencing the price of electricity in the future

## Regulated part of electricity price

- The rate of development of RES-based generation plants and consequent costs in grid reinforcement and storage
- Development of smart grids, smart metering
- Ensuring cybersecurity
- Technology prices

## What to expect:

- Rising regulated price component - inevitable
- Changes in the tariff system to reflect changes in consumption and generation patterns, at the same time to create incentives to change behaviour and save kW (not just kWh) - higher share of fixed component



## Uncertainties

- Developing energy communities and electricity sharing
- Speed of implementation of smart grids and smart metering and real benefits
- High sensitivity of society to significant change and inertia in thinking and behaviour

**It is very likely that the regulated component of electricity prices will increase**

# Natural gas prices




## Dutch TTF futures

Price stabilisation

Major drop in imports from Russia (only 3 countries - Austria, Slovakia and Hungary - via pipeline)

Long-term contracts of up to 15-20 years are being concluded (despite Taxonomy requirements)

# Natural gas consumption development – Czech Republic



Zdroj: [https://www.ampermeteo.cz/gallery6/aktuality/85/tz\\_ampermeteoq3\\_2023.pdf](https://www.ampermeteo.cz/gallery6/aktuality/85/tz_ampermeteoq3_2023.pdf)

# EU energy policy – New targets to 2030

## Targets from Winter Package (2018-2019)

- CO2 reduction by 40% (annual reduction of emission roof for branches under ETS by 2,2 % after 2020, increase from current 1,74%)
- 32 % RES share on final energy consumption (which means up to > 50% on power consumption)
- increase of energy efficiency

## Targets Green Deal

- but Green Deal completely changes the target – goal of climate neutral region (EU) until 2050
- CO2 reduction – currently 55% for 2030
  - Complete change of all sectors – not only energy sector

# EU energy policy – New targets to 2030/2

- ❑ 2021-2022: discussion on pathways – Taxonomy
  - ❑ Classification system of investments (not only for financial sector) - Regulation (EU) 2020/852: on the establishment of a framework to facilitate sustainable investment
  - ❑ Do No Significant Harm principle – 6 objectives
  - ❑ Climate change mitigation, Climate change adaptation, The sustainable use and protection of water and marine resources, The transition to a circular economy, Pollution prevention and control, The protection and restoration of biodiversity and ecosystems
  - ❑ Delegated Act: details on classification of individual technologies – great discussions on natural gas and nuclear (acceptable as the transient technologies)



# EU energy policy – New targets to 2030/3

- ❑ > **24.2.022: the world has changed .....**
- ❑ Natural gas has significant tools for decarbonization of energy branch (namely to substitute coal)
  - ❑ E.g. Germany – expected shut down of coal fired power plants, nuclear too
  - ❑ E.g. Czech Republic – significant role in heating branch transformation (sources over 20 MWt: app. 70-75% natural gas, 10-15(20)% biomass, 5-10% solid alternative fuels)
- ❑ EU Commission:
  - ❑ 3/2022 RepowerEU: aimed at reduction of import dependency (e.g. stop NG import from Russia until 2027)
  - ❑ Role of RES, incl. biomethane, etc. (biomethane from 3 bcm to 33-35 bcm)

# REPowerEU – biomethane targets

## Biomethane is a promising biofuel for the next decade:

- Higher effectivity of land (feedstock) utilization - upgrading biogas to biomethane significantly improves the energy efficiency of the use of the input biomass
- Substitution of natural gas, can use its infrastructure



Source: EBA

Biomethane (2020): 32 TWh, app. 3.3 bln. m<sup>3</sup>

REPowerEU (3/2022): 35 bln m<sup>3</sup> (accelerated pathway)

# Seasonal profile of NG consumption – role of gas storage

## Profile of NG consumption, Czech Republic, 2021



New legislation to avoid blocking of NG storage capacities – USE IT OR LOSE IT, obligation to NG storage for next season

DOM –households, VO – big consumers, MO – small business consumers, VEL – power producers from NG, VTP – neat producers from NG, SO – medium business consumers, OP – other gases


Source: Energy Regulatory Office, presentation for Czech House of commons, May 2022



## NG – intermediate solution for coal stop ?/!


- NG substitute of coal power and heat production
  - E.g. Czech Republic and district heating branch (40% of heat to households, currently 2/3 from coal)
  - Power generation based on NG is flexible, dynamic services to manage high shares of RES electricity from intermittent sources
- Current situation with NG:
  - High uncertainty with heating branch transformation
  - Redefinition of energy transformation strategies, e.g. faster growth of RES, but also of coal decline
  - High shares of intermittent sources require massive investment into accumulation capacities, but also investment in dynamic services (NG was assumed)

# General context – important role of biomass




<https://publications.jrc.ec.europa.eu/repository/handle/JRC109354>


Biomass share on RES is declining but in absolute values is increasing



# General context – important role of biomass




EU: 2016 – gross final energy consumption



Source: <https://ec.europa.eu/jrc/en/publication/brochures-leaflets/brief-biomass-energy-european-union>

# General context – important role of biomass




Gross inland bioenergy consumption: total and per capita



Source: <https://ec.europa.eu/jrc/en/publication/brochures-leaflets/brief-biomass-energy-european-union>

# General context – important role of biomass

## Gross final consumption of bioheat, bioelectricity and transport biofuels




The high differences between countries are due not only to different availability, but also to different heating methods, support for the use of bioenergy, etc.

Source: <https://ec.europa.eu/jrc/en/publication/brochures-leaflets/brief-biomass-energy-european-union>

# Biomass – biomass sources

- **biomass from agriculture** (crop residues, bagasse, animal waste, energy crops, etc.)
- **forestry** (logging residues, wood processing by-products, black liquor from the pulp and paper industry, fuelwood, etc.)
- **biological waste** (food waste, food industry waste, the organic fraction of municipal solid waste, etc.)
  - Also residuals from waste water cleaning (in CZ app. 250 th in dry matter, potential source of important elements, such as phosphorus)

# Biomass – biomass sources



Source: <https://www.bioenergyconsult.com/biomass-energy-sustainability/>

Biomass is a very heterogeneous category containing many different types of biomass - by origin, by form, by energy content.

**The different types of biomass are very often not directly interchangeable.**

Therefore, it is not enough to look only at the potential of biomass, but also at its structure and even its geographical distribution (due to relatively high transport costs).

# Biomass – 1st, 2nd and 3rd generation

- **1. First-generation biofuels:** directly related to a biomass that is generally edible.
  - Competition with food production, but also material utilization
- **2. Second-generation biofuels:** defined as fuels produced from a wide array of different feedstock, ranging from lignocellulosic feedstocks to municipal solid wastes.
  - But most of biomass types within this category needs land (e.g. energy crop), so we have competition with conventional production again
- **3. Third-generation biofuels:** related to algal biomass but could to a certain extent be linked to utilization of CO<sub>2</sub> as feedstock.




# Biomass – 1st generation

- **First-generation biofuels** include bioethanol and biodiesel directly related to a biomass that is generally edible.
  - Ethanol is produced from fermentation of C6 sugars (glucose), majority of production: corn and sugar cane, others: potatoes, sugar beet, etc.
  - Biodiesel: uses biomass (oily plants and seeds), relatively complicated chemical processes requiring also methanol
  - Influence of biofuels production on market values of conventional crop
  - Pressure on economy of liquid biofuels – results also in large areas of land occupied (e.g. rapeseed in the Czech Republic occupied 17% of arable land, also leads to deforestation in some countries)

# Biomass – 1st generation, economic aspects



US corn and soybean prices compared to crude oil prices, ethanol and biodiesel production




World food price index

Source: Shresta et al: Biofuel impact on food price index and land use change, Biomass and Bioenergy 124 (2019)

# Biomass – 2nd generation

- Wide range of feed stocks, mostly lignocellulosis biomass, but also municipal waste, etc.
- Cheaper feedstock, but more complicated conversion, requires new technologies



“bio” and “thermo” pathways for conversion of lignocellulosic biomass into biofuels.

Source: Lee and Lavoie, doi:10.2527/af.2013-0010

# Biomass – 3rd generation

- Algae: biofuels produced from algal biomass



High technical and economic challenges, e.g. algae will produce 1 to 7 g/L/d of biomass in ideal growth conditions – large volumes are required, also keep operational temperature. Currently mostly used for the production of biologically active substances („health“ products, Biological colouring agents)

# High variability of biomass utilization

## Various uses

- Power generation – burning of solid biomass
- Heat production – burning of solid biomass, local, small, medium and big sources
- Solid biomass can be easily transformed into solid biofuels – pellets and briquettes (can serve as coal substitute)
- Anaerobic fermentation – transformation into biogas, power generation and heat production (utilization of energy crop + waste from agriculture + food residuals)
- Biomethane production – upgrade of biogas into quality of natural gas

# Advantages of biomass for energy

## Major advantages:

- Non intermittent source
- Can be easily stored, transported
- Possible transformation of raw biomass to solid, liquid and gaseous biofuels
- Locally available
- Biomethane as the substitute of NG (see REPowerEU)
- Non production functions of perennials (SRC, Miscanthus, etc.)
- Stable power generation, possibility of dynamic services

## Major disadvantages:


- Emissions from burning (NO<sub>x</sub>, dust particles, etc.) esp. In case of burning of unsuitable biomass in improper devices
- Low energy density (in CE conditions app. 150-250 GJ per hectare and year – try to compare with energy yield from PV on the same area)
- Competition for the land with food production
- In some cases conflict with the sustainability criteria (e.g. Oil palm plantation on burnt tropic forests, etc.)

# Biomass – New Trends

**Biomass is often considered as an important substitute for fossil fuels, but:**

- Increasing biomass potential usually requires an increase in biomass extraction from agricultural land (residual biomass from conventional crops) or from forest land (competition between food or material use and energy)
- In many countries, increasing biomass for energy use leads to deforestation (e.g. clearing land for oil palm plantations)
- In many countries (the Czech Republic is an example), the problem is the low content of the biological component in the soil (lack of natural manure due to the decline of livestock)


In many cases it is then necessary to leave a significant part of the straw for ploughing



# Biomass – New Trends 2

- Plantations of perennial energy crops can serve as a suitable tool for reducing the ecological impacts of conventional agriculture

**Mapa alokace energetických plodin na pozemcích s prioritou podpory krajinných funkcí a respektováním limitu produkční ceny biomasy**



Classification system for evaluation of level of risk associated with conventional agriculture:

- Landscape connectivity - support of migration and dispersion possibilities of organisms
- Landscape heterogeneity - the size of soil blocks directly affecting habitat and species diversity
- Drought threat to land
- Threat to land from water erosion
- Threat to land from wind erosion

Perennial energy crops can significantly help reduce these risks




## Biomass – New Trends 2

- Plantations of perennial energy crops can serve as a suitable tool for reducing the ecological impacts of conventional agriculture
- 2021: preparation of the European Forestry Strategy
- Effective afforestation, protection and restoration of forests, as well as their resilience. All of this is intended to contribute to increasing the capacity of forests to absorb and store carbon dioxide
- Wood (see European Parliament resolution, 2021) is not to be used primarily as biomass to replace heat from fossil sources, but "wood should, where possible, be prioritised for longer-life uses to increase global carbon storage".
- All of the above factors will influence and limit the potential of biomass for energy in the future


# Biomass – Agrovoltaic, example of the new trend




[www.univergysolar.com](http://www.univergysolar.com)



# Biomass – Agroforestry, example of the new trend



Main types of agroforestry systems USDA, 2010



LER (*land equivalent ratio*) of value 1,4 means that 100 ha of AFS produces the same yields as 140 ha of trees and agricultural crops when grown separately. (Mead,


Willey, 1990)

**Agroforestry systems (ASF)** means land use systems in which trees are grown in combination with agriculture on the same land (EU regulation no. 1305/2013)

- very innovative and flexible (for task - conditions)
- allows stable production with strong eco-services
- mitigation and adaptation measures




# Biomass – Agroforestry, example of the new trend



Obrazek 3.4 Ukázky silvopastevního agrolesnictví – stromy na pastvinách

# Biomass – Agroforestry, example of the new trend



Obrázek 3.5 Odhadované rozšíření agrolesnických systémů v Evropě (den Herder a kol. 2017)




Obr. 3.8 Výsadba dřevitých (nezakořeněných) řízků RRD do výmladkových pásů se provádí ručně mechanizovaně sazečem do kvalitně připravené a odplevelené půdy.



Obr. 3.-11 Polní pokusy s pěstováním pšenice a brambor v ALS-1 Michovky a odběr vzorků pšenice pro analýzy z kontrolního pole




# Biomass – Agroforestry, example of the new trend



Obr. 4.-2 Příklad uspořádání pásů ALS v kombinaci s dalšími kulturami a) současný stav – orná půda bez návrhu opatření, b) ALS v kombinaci s biopásy a ornou půdou (víceletá pícnina) se zobrazením odtokových linií

Example of an ALS strip arrangement in combination with other crops (a) Current situation - arable land without (b) ALS in combination with biobelts and arable land (perennial forage) showing runoff lines

# Biomass – Agroforestry, example of the new trend



Obr. 4.-3 Příklad vyhodnocení protierozní účinnosti ALS-PSP na modelovém území v k. ú. Bošovice

Example of the evaluation of the anti-erosion effectiveness of ALS-PSP on a model area in the municipality of. Bošovice

# Biomass from energy crop – different points of view on its price / cost of cultivation

## Perennial energy crops – plantation lifetime:

- ❑ 10 years (e.g. Miscanthus), 20-24 years (SRC plantations)
- ❑ the decision to grow energy crops can be evaluated using investment evaluation methods - NPV of project cash flows (CF)

## Biomass price - energy crop, perennials, two points of view

Minimum price to get required rate of return

$$C_{\min}: NPV_{\text{energcrop}}=0$$

rate of return is equal to discount rate used for NPV calculation

Opportunity use of soil for conventional crops

$$C_{\text{alt}}: NPV_{\text{energcrop}}=NPV_{\text{convcrop}}$$

to get the same economic effect as from growing of conventional crop


***Limit of biomass price from the consumers point of view – competition with other energies***





# Biomass from energy crop – minimum price modelling 2

## Minimum – price

- ❑ Sum of discounted CF at the end of the project equals to zero
- ❑ Example of CF and DCF profiles for



PV Power plant



- ❑ Minimum price methodology is widely used e.g. to define FIR for electricity from renewables, for waste disposal, etc.
- ❑ To derive price of commodity from supplier point of view

# Opportunity use of soil for conventional crops

**C<sub>alt</sub> calculation** - equality of CF generated from the production of conventional crop for the duration of the energy crop plantation

$$NPV(\text{energy}) = \sum_{t=1}^{T_h} [C_{alt,1} \cdot Q_t \cdot (1+i)^{(t-1)} + S_t - E_t] \cdot (1+r_{n,d})^{-t}$$

$$NPV(\text{conv}) = \sum_{t=1}^{T_h} (R_{t,q} - C_{t,q}) \cdot (1-d) \cdot (1+r_{n,1})^{-t}$$

$$C_{alt,1} : NPV(\text{energy}) = NPV(\text{conv})$$

C<sub>alt</sub> · Q + S: revenues from energy biomass plus subsidy

r<sub>n,d</sub>, r<sub>n,1</sub>: discount rates

T<sub>h</sub>: energy crop plantation lifetime, 10, 24 years

rotation of conv. crop according to site conditions

R<sub>q</sub>-C<sub>q</sub>: market price of crop and cost of q conv. crop

## Opportunity use of soil for conventional crops - 2

$$NPV(\text{energy}) = \sum_{t=1}^{T_h} [c_{alt,1} \cdot Q_t \cdot (1+i)^{(t-1)} + S_t - E_t] \cdot (1+r_{n,d})^{-t}$$

$$NPV(\text{conv}) = \sum_{t=1}^{T_h} (R_{t,q} - C_{t,q}) \cdot (1-d) \cdot (1+r_{n,1})^{-t}$$

$$c_{alt,1} : NPV(\text{energy}) = NPV(\text{conv})$$

Key role of risk inclusion into calculation – discount values  $r_{n,d}, r_{n,1}$

Higher risk for perennials:

: (1) high one-off costs of plantation (approx. 1440 EUR / ha for SRC, approx. 1500 EUR / ha for Miscanthus); present value of the plantation-related costs is about 50% for SRC plantations. If, due to bad weather conditions (e.g., due to drought), the established plantation is damaged or destroyed, the farmer realizes a high loss,  
(2) SRC or Miscanthus plantation do not reach the maximum yield of biomass in the first year, but only with a delay, e.g., for SRC the maximum yield is attained between 8 and 12 years, the income from the sale of biomass has a significant distance from the investment in the plantation (future income is thus more uncertain than current expenditures for plantations establishment). **RISK INCREASE.**

# Energy crop: price modelling – case example of the Czech republic 2

**Methodology:** biomass yields of energy and conventional crops are allocated according to soil and climate conditions on given land plot

- Soil valuation system used: 10 climate regions, 78 different soil types, app. 570 valid combinations
- Expected yield of crop for each combination of climate region and soil type (long term field experiments, expert estimates, etc.)
- Arable land divided into agricultural production area - APA
  - affects production costs
  - APA determines the recommended crop rotation
  - a total of 92.3% (2,287 th. hectares) of the total arable land area included in the analysis
  - 7 year rotation cycle of conventional crop – different for each APA
  - Comparison period – based on lifetime of energy crop plantation

|              |        |       |       |       |       |       |              |       |        |        |              |
|--------------|--------|-------|-------|-------|-------|-------|--------------|-------|--------|--------|--------------|
| Year1        | Year 2 | Year3 | Year4 | Year5 | Year6 | Year7 | Year8        | ..... | Year20 | Year21 | Year22       |
| <b>Crop1</b> | Crop2  | Crop3 | Crop4 | Crop5 | Crop6 | Crop7 | <b>Crop1</b> | ..... | Crop6  | Crop7  | <b>Crop1</b> |

# Energy crop: price modelling – case example of the Czech republic 3

## Input data:

- ❑ Conventional crop price: average market prices in period 2014-2018
- ❑ Production cost of conventional crop: average cost for each APA and type of crop, year 2018 (the differences in the rated costs per hectare among the zones differ by 10% (silage maize) to 25% (winter wheat))
- ❑ Subsidy 210.6 EUR/ha
- ❑ Production cost of SRC and Miscanthus plantations: economic models based on results of experimental plantations
- ❑ Cost and revenues escalation: 2%
- ❑ Income tax rate: 19%
- ❑ Discount rates:  $r_{n,d}=r_{n,1}=10\%$  (nominal)
- ❑ Land: LPIS - Land Parcel Identification System
  - ❑ Each land plot registered in LPIS is assigned to given APA and  $c_{alt}$  is calculated simulating rotation of conventional crop

# Price modelling results

## High profitability of conventional crops pushes the $c_{alt}$ price up

### SRC plantation


| Region/APA     | Average               |                       | Weighted average      |                       |
|----------------|-----------------------|-----------------------|-----------------------|-----------------------|
|                | $C_{min}$<br>[EUR/GJ] | $C_{alt}$<br>[EUR/GJ] | $C_{min}$<br>[EUR/GJ] | $C_{alt}$<br>[EUR/GJ] |
| Maize-growing  | 4.4                   | 9.3                   | 5.2                   | 11.4                  |
| Beet-growing   | 3.4                   | 6.5                   | 3.2                   | 6.7                   |
| Potato-growing | 3.4                   | 6.3                   | 3.0                   | 5.8                   |

### Miscanthus plantation


| Region/APA     | Average               |                       | Weighted average      |                       |
|----------------|-----------------------|-----------------------|-----------------------|-----------------------|
|                | $C_{min}$<br>[EUR/GJ] | $C_{alt}$<br>[EUR/GJ] | $C_{min}$<br>[EUR/GJ] | $C_{alt}$<br>[EUR/GJ] |
| Maize-growing  | 7.9                   | 10.9                  | 7.2                   | 10.6                  |
| Beet-growing   | 7.1                   | 9.6                   | 6.4                   | 9.3                   |
| Potato-growing | 11.9                  | 18.2                  | 11.2                  | 17.3                  |

Note: prices of raw biomass without storage and transportation to final consumer

### SRC, maize growing APA




### Miscanthus, potato growing APA



# Price modelling results - 2

## Factors influencing c<sub>alt</sub> price:

- Suitability of given APA for energy crop – e.g. potato production area is not suitable for Miscanthus – typical yields app. 2,5 t(FM)/ha,year
- High yields of conventional crop at given land plot – high profit that must be compensated by a higher c<sub>alt</sub>
- Higher risk related with energy crop compared with conventional crop – higher discount rate and higher c<sub>min</sub> and c<sub>alt</sub> prices



c<sub>alt</sub> price has high variability according to the specific conditions of the area

Example of c<sub>alt</sub> price distribution for Miscanthus on the territory of the Czech Republic

# Policy implication

## Areas with $c_{alt}$ lower than given maximum limit

### SRC plantations

| Maize-growing zone |       | Beet-growing zone |       | Potato-growing zone |       |
|--------------------|-------|-------------------|-------|---------------------|-------|
| EUR/GJ             | Area  | EUR/GJ            | Area  | EUR/GJ              | Area  |
| <6                 | 10.1% | <6                | 41.5% | <6                  | 78.2% |
| <8                 | 20.5% | <8                | 79.8% | <8                  | 92.6% |
| <10                | 20.5% | <10               | 87.9% | <10                 | 92.7% |
| <12                | 73.0% | <12               | 97.1% | <12                 | 99.9% |

### Miscathus plantations

| Maize-growing zone |       | Beet-growing zone |       | Potato-growing zone |       |
|--------------------|-------|-------------------|-------|---------------------|-------|
| EUR/GJ             | Area  | EUR/GJ            | Area  | EUR/GJ              | Area  |
| <6                 | 0.0%  | <6                | 0.0%  | <6                  | 0.0%  |
| <8                 | 0,0%  | <8                | 47.2% | <8                  | 0.7%  |
| <10                | 53.8% | <10               | 88.5% | <10                 | 56.5% |
| <12                | 80.4% | <12               | 94.5% | <12                 | 70.0% |

Based on competition with other fuels and technologies - maximum competitive  $c_{alt}$  price limit is 6-8 EUR/GJ

Competition with conventional crop significantly reduces economic potential of energy crop

**Expectations of an increase in targeted biomass may not be met!**

Note: growing areas: maize: 140 th. ha, potato: 880 th. ha, beet: 972 th. ha (areas where yield of energy crop are defined, some unsuitable areas are excluded from the analysis)



# Conclusion

**Results of the analysis are to a large extent applicable in countries with similar conditions for growing energy and conventional crops – e.g. CE countries**

**Competition with conventional crop (competition for land) is pushing significantly up prices of intentionally planted biomass**

**Optimistic assumptions about the contribution of the energy crop may not be fulfilled**

**Perennial energy crops are more risky for farmers than conventional crops with a one-year production cycle - this puts further pressure to increase the price of targeted biomass**

**The efficiency of growing energy crops varies greatly from location to location - this requires a targeted focus on subsidies / support for the cultivation of energy crops.**

## Details available e.g. at:

- ❑ VÁVROVÁ, K., KNÁPEK, J., a WEGER, J. Short-term boosting of biomass energy sources – Determination of biomass potential for prevention of regional crisis situations. **Renewable and Sustainable Energy Reviews**. 2017, 67s. 426-436. ISSN 1364-0321. DOI: <https://doi.org/10.1016/j.rser.2016.09.015>
- ❑ VÁVROVÁ, K., KNÁPEK, J., a WEGER, J. Modeling of biomass potential from agricultural land for energy utilization using high resolution spatial data with regard to food security scenarios. **Renewable and Sustainable Energy Reviews**. 2014, 35s. 436-444. ISSN 1364-0321. DOI: <https://doi.org/10.1016/j.rser.2014.04.008>
- ❑ KNÁPEK, J., et al. Energy Biomass Competitiveness—Three Different Views on Biomass Price. **Wiley Interdisciplinary Reviews: Energy and Environment**. 2017, 6(6), ISSN 2041-8396
- ❑ KNÁPEK, J. et al. Dynamic biomass potential from agricultural land. **Renewable and Sustainable Energy Reviews**. 2020, 134(110319), 1-12. ISSN 1364-0321



***Thank you for your attention !***

